

☐ UNCLASSIFIED

☐ INTERNAL

☒ CONFIDENTIAL

☐ SECRET

Approved For Release 2003/11/06 : CIA-RDP85-00988R000400070021-9

ROUTING AND RECORD SHEET

SUBJECT: (Optional)

ADP Capability

FROM:

Chief, Plans and Programs Staff, OL

EXTENSION

NO.

DATE

12 DEC 1978

TO: (Officer designation, room number, and building)

DATE

RECEIVED

FORWARDED

OFFICER'S INITIALS

COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)

1.

D/L

13 DEC 1978

J

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

Several years ago it was determined that an automatic data communications link between [] and Headquarters was necessary if we were to maintain a viable supply response capability at that installation. The justification for a contingency stockpile must include a quick reaction capability in issuing/receiving as well as maintaining current and accurate records. Transmission of record updates via pouch would be totally unsatisfactory in a fast-moving situation. It is unreasonable to operate an on-line system by mail.

In addition, the entire workload of interdicting ICS would fall on the Supply Management Branch rather than the supply control people at [] such as is done at []

As you see, the requirement to install a terminal and reader-printer at [] is being cancelled at the request of the Supply Division (paragraph b(1), page 2). The need for this equipment continues, and I recommend it be retained in the forecast. []